

## Lawrence Barton – Research Publications

1. L. Barton and D. Nicholls, "High Temperature Routes to Boron Monoxide and Diborane," Proceedings of the Chemical Society, 242 (1964).
2. L. Barton, S.K. Wason and R.F. Porter, "Thermochemistry of Interconversion of  $H_2B_2O_3(g)$  and  $H_3B_3O_3(g)$ ," Journal of Physical Chemistry, **69**, 2160 (1965).
3. L. Barton and D. Nicholls, The Hydrogenation of Boron Monoxide to Diborane and the Reactions of Boron and Boron Carbide with Titanium and Zirconium Dioxide," Journal of Inorganic and Nuclear Chemistry, **28**, 1367 (1966).
4. L. Barton, C. Perrin and R.F. Porter, "Mass Spectrometric Study of Intermediates in the Oxidation of  $B_5H_9$ ,  $B_4H_{10}$  and  $BH_3CO$ ," Inorganic Chemistry, **5**, 1466 (1966).
5. L. Barton, F.A. Grimm and R.F. Porter, "Boroxine, A Simplified Preparation," Inorganic Chemistry, **11**, 2076 (1966).
6. F.A. Grimm, L. Barton and R.F. Porter, "A Vibrational Analysis of Gaseous Boroxine," Inorganic Chemistry, **7**, 1309 (1968).
7. L. Barton, "Boroxine: A Novel Approach to the  $BH_3-PF_3$  System," Journal of Inorganic and Nuclear Chemistry, **30**, 1683 (1968).
8. L. Barton and C.A. Heil, "Reaction of Germanium Dioxide with Graphite at High Temperatures," Journal of the Less Common Metals, **20**, 11 (1970).
9. L. Barton and G.T. Bohn, "Oxidation of Trimethylborane," Mass Spectral Evidence for the Intermediate  $(CH_3)_2B_2O_3$ ," Journal of the Chemical Society, Chemical Communications, 77, (1971).
10. D.W. Wester and L. Barton, "Trimethylboroxine," Organic Preparations and Procedures-International, **3**, 191 (1971).
11. D.W. Wester, F. Longcor and L. Barton, "The Preparation and Characterization of 2-Methyl-1,3,2-dioxaborolane," Synthesis in Inorganic and Metal-Organic Chemistry, **3**, 115 (1973).
12. L. Barton and J.M. Crump, "Oxidation of 1,1-Dimethyldiborane: Isolation and Characterization of 2,5-Dimethyl-1,3,4-trioxadiborolane," Inorganic Chemistry, **12**, 2252 (1973).
13. L. Barton and J.M. Crump, "Oxidation of 1,1-Dimethyldiborane: Gas Phase Peroxide Intermediates," Inorganic Chemistry, **12**, 2506 (1973).
14. L. Barton, J.M. Crump and J.B. Wheatley, "Trioxadiborolanes from the Oxidation of Methyldiborane," Journal of Organometallic Chemistry, **72**, Cl (1974).
15. L. Barton, D. Brinza, R.A. Frease and F.L. Longcor, "Evidence for Aromaticity in Some Boron-Oxygen Heterocycles from NMR and Mass Spectral Measurements," J. Inorg. Nucl. Chem., **39**, 1945 (1977).

16. L. Barton, "(Oxy)hydroboranes and Related Species," Gmelin Handbuch der Anorganischen Chemie, Erg-Werk, Vol 48, "Borverbindungen 16," 1 - 14 (1977)
17. L. Barton, "Tetrakis(organyloxy)diboranes (4) and Additional Diborane (4) Derivatives," Gmelin Handbuch der Anorganischen Chemie, Erg-Werk, Vol 48, "Borverbindungen 16," 24 - 36 (1977).
18. L. Barton, "Oxygen-Boron-Nitrogen Heterocycles," Gmelin Handbuch der Anorganischen Chemie, Erg-Werk, Vol 48, "Borverbindungen 16," 101 - 124 (1977).
19. L. Barton, T.P. Onak and S.G. Shore, "Species Containing Three Boron Atoms," in: Gmelin Handbuch der Anorganischen Chemie, Erg-Werk, Vol 52, "Borverbindungen 18," 190-208 (1978).
20. L. Barton, T.P. Onak and S.G. Shore, "Hexaborane Species," in Gmelin Handbuch der Anorganischen Chemie, Erg-Werk, Vol 54, "Borverbindungen 20," 52-79 (1979).
21. L. Barton and S.G. Shore, "Heptaborane and Octaborane Species," in Gmelin Handbuch der Anorganischen Chemie, Erg-Werk, Vol 54, "Borverbindungen 20," 80-96 (1979).
22. L. Barton, T.P. Onak and S.G. Shore, "Nonaborane Species," in Gmelin Handbuch der Anorganischen Chemie, Erg-Werk, Vol 54, "Borverbindungen 20," 97-121 (1979).
23. L. Barton, T.P. Onak, R.J. Remmel and S.G. Shore, "Decaborane Species," in Gmelin Handbuch der Anorganischen Chemie, Erg-Werk, Vol 54, "Borverbindungen 20," 122-209 (1979).
24. L. Barton, T.P. Onak, R.J. Remmel and S.G. Shore, "Species Containing 11 or 12 Boron Atoms," in Gmelin Handbuch der Anorganischen Chemie, Erg-Werk, Vol 54, "Borverbindungen 20," 210-239 (1979).
25. L. Barton, T.P. Onak, "Species Containing More than 12 Boron Atoms," in Gmelin Handbuch der Anorganischen Chemie, Erg-Werk, Vol 54, "Borverbindungen 20," 240-304 (1979).
26. I. S. Jaworiskey, J.R. Long, L. Barton and S.G. Shore, "Directive Effects in Bridge Cleavage Reactions of Methyl-Substituted Boron Hydrides; Preparation and NMR Spectra of 3-CH<sub>3</sub>B<sub>6</sub>H<sub>11</sub>, 3-CH<sub>3</sub>B<sub>5</sub>H<sub>10</sub> and 1-CH<sub>3</sub>B<sub>4</sub>H<sub>9</sub>," Inorg. Chem., **18**, 56-61 (1979).
27. L. Barton, "Systematization and Structures of the Boron Hydrides," Topics in Current Chemistry, **100**, 169-206 (1982).
28. L. Barton, "The System Boron Hydrogen" Gmelin Handbuch der Anorganischen Chemie, 2nd Supplement, Vol 1, 3-204 (1983).
29. A.F. Berndt, L. Barton and F.L. Longcor, "2,3,5,6-Tetramethyl-1,4-Dioxane-2,5-diol, C<sub>8</sub>H<sub>16</sub>O<sub>2</sub>," Acta Crystallographica, **C39**, 395-397 (1983).
30. L. Barton and P.K. Rush, "Phosphine-Ligated Copper(I) Derivatives of Dicarbahexaborane(8)," Inorganic Chemistry, **24**, 2413-20 (1985).

31. P.K. Rush and L. Barton, "Direct Synthesis and NMR Spectra of  $[(C_6H_5)_2PCH_2]_2CuB_5H_8$ : Comments on the Solution Structure of 2,3- $\mu$ -Metallopentaboranes," Polyhedron, **4**, 1741-3 (1985).
32. L. Barton and P.K. Rush, "Formation of {1,1-[bis(diphenyl-phosphino)ethane]-2,3-dicarba-1-nickela-closo-heptaborane} via the Intermediacy of 4,5( $\mu$ -halogeno[bis(diphenylphosphino)-ethane]nickel-2,3-dicarba-nido-hexaborane(8)," Inorganic Chemistry, **25**, 91-93 (1986).
33. L. Barton, "The Boron-Hydrogen System," Gmelin Handbook of Inorganic Chemistry, Boron Compounds, 3rd Supplement, Vol. 1, 2-241 (1987). Springer-Verlag, Berlin.
34. L. Barton, "The Formation of Bonds between Hydrogen and Elements of Group IIIB (B, Al, Ga, In, Tl)," in Inorganic Reactions and Methods, J.J. Zuckerman, Ed.; VCH Publishers Inc.: West Germany (1987) Vol. 2, Sect 1.7, pp. 124-148.
35. L. Barton, Book Review: "Inorganic Mass Spectrometry," Edited by: F. Adams, R. Gibjels, and R. Van Grieken. Wiley Inter-science, New York 1988, Journal of the American Chemical Society, **110**, 7266 (1988).
36. L. Barton, P.K. Rush, T. Zhu, P. Nevels, and M.H. Owens, "Reaction of Intermediate Sized Boranes with Methyldene-triphenylphosphorane," Inorganic Chemistry, **26**, 381-382, (1989).
37. L. Barton, Book Review: "Non-Metal Rings, Cages and Clusters," by: J. D. Woolins, John Wiley, New York 1988, Journal of the American Chemical Society, **111**, 5891, (1989).
38. L. Barton and D. K. Srivastava, "[ $PPPh_3$ ]<sub>2</sub>CuB<sub>6</sub>H<sub>9</sub>Fe(CO)<sub>4</sub>: Rational Synthesis of a Heterobimettalborane from Hexaborane(10)". Organometallics **10**, 2982-5, (1991).
39. L. Barton, "The Formation of Group VIB to Group IIIB Element Bonds from Group VIB-Hydrogen Bonds and Group IIIB - Sulfur and Selenium Bonds," in Inorganic Reactions and Methods, ed. J.J.Zuckerman, Verlag Chemie, West Germany. (1991) Vol. 5, Sect 3.5.3.4 - 3.5.4.3, pp. 270-278.
40. L. Barton and D. K. Srivastava, "1-Triphenylstannyl-*nido*-Pentaborane(9): An Example of <sup>119</sup>Sn-<sup>11</sup>B NMR Coupling in a Pyramidal Borane" Journal of the Chemical Society, Dalton Transactions. 1327-8, (1992).
41. D. K. Srivastava, N. P. Rath, and L. Barton, "Stoichiometric Removal of ligand from Copper(I) Reagents: A Novel Synthesis of Di- $\mu$ -bromo-tetrakis (methyldiphenylphosphine)-dicopper(I)and the Structures of  $[CH_3(C_6H_5)_2P]_3CuBr$  and  $\{[CH_3(C_6H_5)_2P]_2CuBr\}_2$ ". Polyhedron **11**, 1251- 59 (1992).
42. D. K. Srivastava, N. P. Rath and L. Barton, "The Three Isomers of Triphenylstannyl-*nido*-pentaborane(9): Isolation and Structural characterization of 2,3- $\mu$ -(SnPh<sub>3</sub>)B<sub>5</sub>H<sub>8</sub>, 1-(SnPh<sub>3</sub>)B<sub>5</sub>H<sub>8</sub>, 1-(SnClPh<sub>2</sub>)B<sub>5</sub>H<sub>8</sub>" Organometallics **11**, 2263-73 (1992).

43. A. R. Khan, L. Barton, and V. T. D'Souza, "Heptakis-2,3-epoxy- $\beta$ -cyclodextrin, a Key Intermediate in the Synthesis of Custom-designed Cyclodextrins". Journal of the Chemical Society, Chemical Communications. 1112-1114 (1992).
44. D. K. Srivastava, N. P. Rath, L. Barton, J. D. Ragaini, O. Hollander, R. Godfroid and S. G. Shore "Structure and Spectra of 4,5- $\mu$ -(Tetracarbonyl)ironhexaborane(10), Fe(CO)<sub>4</sub>B<sub>6</sub>H<sub>10</sub> and its conjugate base [Fe(CO)<sub>4</sub>B<sub>6</sub>H<sub>9</sub>]<sup>-</sup>" Organometallics **12**, 2017-24 (1993).
45. D. K. Srivastava, and L. Barton, "Organotin Derivatives of Hexaborane(10). Organometallics, **12**, 2864-68 (1993).
46. D. Srivastava, H. Fang, N. P. Rath and L. Barton, "Triphenylstannyld-derivatives of Pentaborane(9) and Hexaborane(10)," Current Topics in the Chemistry of Boron, G. W. Kabalka, Ed.; Special Publication. Royal Society of Chemistry, **143**, 310 - 313 (1994).
47. H. Fang, D. Zhao, L. Brammer and L. Barton, "Crystal and Molecular Structure of  $\mu$ ,2'-SnPh<sub>2</sub>(B<sub>5</sub>H<sub>8</sub>)<sub>2</sub> and  $\mu$ ,1'-SnPh<sub>2</sub>(B<sub>5</sub>H<sub>8</sub>)<sub>2</sub>: The First Structurally Characterized Examples of Two Pentaborane Cages Linked by a Single Heteroatom". Journal of the Chemical Society, Chemical Communications. 1531-33 (1994).
48. L. Barton, "The Boron-Hydrogen System," Gmelin Handbook of Inorganic Chemistry, Boron Compounds, 4th Supplement, Vol. 1a, 9-155 (1994). Springer-Verlag, Berlin.
49. L. Barton and D. K. Srivastava, "Metallaboranes" in Comprehensive Organometallic Chemistry, **II**, Wilkinson,G.; Abel, E. W.; Stone, F. G. A., Eds., Pergamon, **1995** Vol. 1, Ch. 8, pp. 275-373.
50. H. Fang, D. Zhao, N. P. Rath, L. Brammer and L. Barton, "Isomers of SnPh<sub>2</sub>(B<sub>5</sub>H<sub>8</sub>)<sub>2</sub>: Synthesis and Characterization of  $\mu$ , $\mu$ '-SnPh<sub>2</sub>(B<sub>5</sub>H<sub>8</sub>)<sub>2</sub>,  $\mu$ ,2'-SnPh<sub>2</sub>(B<sub>5</sub>H<sub>8</sub>)<sub>2</sub> and  $\mu$ ,1'-SnPh<sub>2</sub>(B<sub>5</sub>H<sub>8</sub>)<sub>2</sub>, Organometallics **14**, 1700 - 1711 (1995).
51. J. Bould, N. P. Rath and L. Barton, " $\{1,2-[\eta^5-(C_5Me_5)Ir]_2B_5H_5\}$ : Isolation and Structural Characterization of A *Closo*-polyhedral Metallaborane Cluster with a Capping BH Group". Organometallics **14**, 2119 - 2122 (1995).
52. J. Bould, N. P. Rath and L. Barton, "Nido-[{(PPh<sub>3</sub>)<sub>2</sub>(CO)Os( $\mu$ -H)Cp\*IrB<sub>3</sub>H<sub>6</sub>}], *Closo*-[(PPh<sub>3</sub>)<sub>2</sub>(CO)OsB<sub>4</sub>H<sub>6</sub>IrCp\*] and *Pileo*-[(PPh<sub>3</sub>)(CO)HOsB<sub>5</sub>H<sub>5</sub>Ir(PPh<sub>3</sub>)<sub>2</sub>CO]: A Unique Homologous Series of Iridaosmaborane Cluster Types" Journal of the Chemical Society, Chemical Communications. 1285-86 (1995).
53. J. Bould, N. P. Rath and L. Barton, "1,1,1-(CO)<sub>3</sub>-2,2,2-(CO)<sub>2</sub>(PPh<sub>3</sub>)-5-(PPh<sub>3</sub>)-*closo*-1,2-FeIrB<sub>5</sub>H<sub>4</sub>: The First Structurally Characterized *Closo*-heterobimettallaheptaborane System". Angewandte Chemie. **34**, 1641-43 (1995).
54. J. Bould, M. Pasieka, J. Braddock-Wilking, N. P. Rath, L. Barton and C. Gloeckner, "Synthesis of Heterobimettallaheptaboranes and Related Species from [(PPh<sub>3</sub>)<sub>2</sub>(CO)OsB<sub>5</sub>H<sub>9</sub>]: *Pileo*-[(PPh<sub>3</sub>)<sub>2</sub>(CO)OsB<sub>5</sub>H<sub>5</sub>IrH(PPh<sub>3</sub>)(CO)], *Closo*-[(PPh<sub>3</sub>)<sub>2</sub>(CO)( $\mu$ -H)OsB<sub>4</sub>H<sub>5</sub>{h<sup>5</sup>-(C<sub>5</sub>Me<sub>5</sub>)M}] (M =

- Rh, Ir), *Nido*-[(PPh<sub>3</sub>)<sub>2</sub>(CO)Os(μ-H){h<sup>5</sup>-(C<sub>5</sub>Me<sub>5</sub>)Ir}B<sub>3</sub>H<sub>6</sub>], and *Nido*-[(PPh<sub>3</sub>)<sub>2</sub>(CO)OsB<sub>4</sub>H<sub>7</sub>(n-C<sub>4</sub>H<sub>9</sub>)]."  
Organometallics. **14**, 5138-49 (1995).
55. J. Bould, N. P. Rath and L. Barton, "Synthesis and Characterization of *Nido*-[1,1,2,2-(CO)<sub>4</sub>-1,2-(PPh<sub>3</sub>)<sub>2</sub>-1,2-FeIrB<sub>2</sub>H<sub>5</sub>]: A Heterobimettallaborane Analogue of *Nido*-[B<sub>4</sub>H<sub>7</sub>]<sup>-</sup>," Inorganic Chemistry. **35**, 35-39 (1996).
56. D. L. Denton, R. A. Godfroid, L. Barton and S. G. Shore, "Preparation of an Edge-Bonded Metalladerivative of Hexaborane(10)" Inorganic Chemistry, **35**, 791-792 (1996).
57. P. Kaur, J. Holub, N. P. Rath, J. Bould, L. Barton, B. Štíbr and J. D. Kennedy, "Macropolyhedral boron containing cluster chemistry: Nineteen-vertex [S<sub>2</sub>B<sub>17</sub>H<sub>17</sub>(SMe<sub>2</sub>)<sub>2</sub>]": An unusual apical boron atom of cluster connectivity six and a new polyhedral borane building block." Journal of the Chemical Society, Chemical Communications. 273 - 275 (1996).
58. Jonathan Bould, Nigam P. Rath, Hong Fang and Lawrence Barton. "Chemistry of the Hexaborane(10) Analogue (PPh<sub>3</sub>)<sub>2</sub>(CO)IrB<sub>5</sub>H<sub>8</sub>: Formation and Characterization of the Heterobimettaheptaboranes 1,1,1-(CO)<sub>3</sub>-2,2,2-(CO)<sub>2</sub>(PPh<sub>3</sub>)-4-(PPh<sub>3</sub>)-*closo*-1,2-FeIrB<sub>5</sub>H<sub>4</sub> and 2,2,2-(CO)(PPh<sub>3</sub>)<sub>2</sub>-7,7-Cl-(PMe<sub>2</sub>Ph)-*nido*-2,7-IrPtB<sub>5</sub>H<sub>7</sub>". Inorganic Chemistry. **35**, 2062 - 2069 (1996).
59. J. Bould, N. P. Rath, and L. Barton, "[(CO)H(PPh<sub>3</sub>)<sub>2</sub>-*arachno*-OsB<sub>3</sub>H<sub>8}]", Acta Crystallographica C**52**, 1388 - 1390 (1996).</sub>
60. L. Barton, J. Bould, J. D. Kennedy and N. P. Rath. "Macropolyhedral boron-containing cluster chemistry. The isolation and characterisation of the eighteen-vertex *nido*-5'-iridaoctaborano-(3',8':1,2')-*closo*-4-iridadecaborane, [(CO)(PMe<sub>3</sub>)<sub>2</sub>IrB<sub>16</sub>H<sub>14</sub>Ir(CO)(PMe<sub>3</sub>)<sub>2</sub>]" Journal of the Chemical Society, Dalton Transactions 3145 - 3149 (1996) .
61. R. Khan, L. Barton and V. T. D'Souza, "Epoxides of the Secondary Side of Cyclodextrins," Journal of Organic Chemistry, **61**, 8301 - 8305 (1996).
62. L. Barton, "The Boron-Hydrogen System," Gmelin Handbook of Inorganic Chemistry, Boron Compounds, 4th Supplement, Vol. 1b, 155pp (1996). Springer-Verlag, Berlin.
63. J. Bould, N. P. Rath and L. Barton, "Metallaborane Heteroatom Incorporation Reactions: Iridacboranes, Iridathiaboranes and an Iridazaborane from Iridanaborane Precursors". Organometallics, **15**, 4915 - 4929 (1996).
64. Lawrence Barton, Jonathan Bould, Hong Fang and Nigam P. Rath, "Formation of Heterobimettaheptaboranes from the *nido*-metallahehexaboranes (PPh<sub>3</sub>)<sub>2</sub>(CO)OsB<sub>5</sub>H<sub>9</sub> and (PPh<sub>3</sub>)<sub>2</sub>(CO)IrB<sub>5</sub>H<sub>8</sub>," Main Group Metal Chemistry, **19**, 711 - 725 (1996).
65. L. Barton, H. Fang, D. K. Srivastava, T. A. Schweitzer and N. P. Rath, "Recent Studies of Group 14 Derivatives of Small *Nido*-boranes". Applied Organometallic Chemistry **10**, 183 - 198 (1996).
66. Lawrence Barton, Jonathan Bould, Hong Fang, Kevin Hupp, Nigam P Rath and Charles Gloeckner, "A Unique *Nido Exo-arachno* Equilibrium Involving [(PPh<sub>3</sub>)<sub>2</sub>(CO)OsB<sub>5</sub>H<sub>9</sub>] and its

- Base Adducts: Crystal and Molecular Structure of  $\{(\text{PPh}_3)_2(\text{CO})\text{OsB}_4\text{H}_7\}(\text{BH}_2 \bullet \text{PPh}_2\text{Me})$ ]." Journal of the American Chemical Society, **119**, 631 - 632 (1997).
67. U. Dörfler, J. D. Kennedy, L. Barton, C. M. Collins and N. P. Rath, "Polyhedral azadirhodaborane chemistry. The reaction of  $[(\eta^5\text{-C}_5\text{Me}_5)\text{RhCl}_2]_2$  with  $[\text{EtH}_2\text{NB}_8\text{H}_{11}\text{NHEt}]$  to give contiguous ten-vertex  $[1\text{-Et-6,7-(}\eta^5\text{-C}_5\text{Me}_5)_2\text{-closo-8,7,1-Rh}_2\text{NB}_7\text{H}_7]$ " J. Chem. Soc., Dalton Trans. 707-708 (1997).
  68. J. Bould, N. P. Rath and L. Barton, "The Structure of  $[1,1,1\text{-H}(\text{PMe}_3)_2\text{-6-Cl-1,2,4-IrC}_2\text{B}_8\text{H}_9]$ " Acta Crystallographica C **53**, 416 - 419 (1997).
  69. L. Barton, J. Bould, H. Fang, K. Hupp and N. P. Rath. " *Nido*  $\rightleftharpoons$  *exo-Arachno* Metalla hexaborane Equilibria: Formation of  $\{(\text{PPh}_3)_2(\text{CO})\text{OsB}_5\text{H}_9\}(\text{PR}_3)$  providing possible insights into the mechanism of formation of the key compound  $1\text{-[Fe(CO)}_3\text{]} \text{B}_4\text{H}_8$ ." Advances in Boron Chemistry. W. Siebert, Ed.; Special Publication. Royal Society of Chemistry, **201**, 476 - 479 (1997).
  70. J. Bould, P. Brint, J. D. Kennedy, M. Thornton-Pett, L. Barton and N. P. Rath, Metallaborane Reaction Chemistry. Part 3. Reaction of Carbon Monoxide with  $[6,6,6\text{-(}\text{PPh}_3\text{)}(\text{Ph}_2\text{P-ortho-C}_6\text{H}_4)\text{H-nido-6-IrB}_9\text{H}_{12}\text{-5}]$  and the isolation and characterization of an arachno-6-monoirididecaborane,  $\{6\text{-(CO)-6,9-(}\text{PPh}_3\text{)}_2(\text{Ph}_2\text{P-ortho-C}_6\text{H}_4)\text{-6-H-arachno-6-IrB}_9\text{H}_{11}\text{-5}\}$ . Czechoslovakian Chemical Communications. **62**, 1239-1253 (1997).
  71. J. Bould, J. D. Kennedy, L. Barton and N. P. Rath. "Macropolyhedral boron-containing cluster chemistry. Triple cluster fusion and the molecular structure of  $[(\text{PMe}_3)_2\text{IrB}_{26}\text{H}_{24}\text{Ir}(\text{CO})(\text{PMe}_3)_2]$ . A 28-vertex metallaborane cluster with a polyboron core." Journal of the Chemical Society, Chemical Communications. 2405 – 2407 (1997).
  72. L. Barton, Book Review: "Synthetic Methods of Organometallic and Inorganic Chemistry," Vol. 2. Ed. W. A. Hermann, N. Auner and U. Klingebiel, G. Theime: Stuttgart, (1996) Journal of the American Chemical Society, **119**, 12028, (1997).
  73. R. Ll. Thomas, N. P Rath and L. Barton. "Preparation and Molecular Structure of  $[(\text{Cp}_2\text{Zr})_2\text{B}_5\text{H}_8]\text{[B}_{11}\text{H}_{14}\text{]}$ : A Dizirconaborane Containing a Cation Exhibiting a Novel Cluster Type." Journal of the American Chemical Society. **119**, 12358 - 12359 (1997).
  74. J. Bould, N. P. Rath, L. Barton, and J. D. Kennedy. "Metallaborane Heteroatom Incorporation Reactions: Enyne Insertion into *arachno*- $[(\text{PMe}_3)_2(\text{CO})\text{HIrB}_8\text{H}_{12}]$ ". Organometallics, **17**, 902-907 (1998).
  75. Ramón Macías, Nigam P. Rath and Lawrence Barton. "[ $(\text{Ph}_2\text{PCH}_2)_2\text{Pt}$ ]<sub>2</sub> $\text{B}_7\text{H}_{11}$ ] An *arachno*-Bimetallanonaborane based on the uncommon *n*- $\text{B}_9\text{H}_{15}$  cluster framework." Chemical Communications, 1081 – 82 (1998).
  76. J. Bould, S. A. Barrett, L. Barton, N. P. Rath and J. D. Kennedy "Macropolyhedral boron-containing cluster chemistry. Isolation and characterisation of the 27-vertex contiguous triple-cluster species  $[(\text{PMe}_2\text{Ph})\text{PtB}_{26}\text{H}_{26}(\text{PMe}_2\text{Ph})]$ " Inorganic Chemistry Communications. 1, 365 - 7 (1998).

77. Y-H Kim, P. A. Cooke, N. P. Rath, L. Barton, R. Greatrex, J. D. Kennedy and M. Thornton-Pett, Polyhedral ruthenaborane chemistry. The ten-vertex *isocloso* cluster geometries of  $[(\text{pcym})\text{RuB}_9\text{H}_9]$  and  $[(\text{pcym})_2\text{Ru}_2\text{B}_8\text{H}_8]$ . *Inorganic Chemistry Communications*. **1**, 375 - 78 (1998).
78. Ramón Macías, Nigam P. Rath and Lawrence Barton, "[8,8- $\eta^2$ -{ $\eta^2$ -(BH<sub>3</sub>)Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>}]-*nido*-8,7-RhSB<sub>9</sub>H<sub>10</sub>]: a rhodathiaborane with a novel *bidentate* chelating ligand, Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>BH<sub>3</sub>". *Angewandte Chemie, Int. Ed.* **38**, 162-164 (1999).
79. Jonathan Bould, Paul A. Cooke, Udo Dörfler, John D. Kennedy, Lawrence Barton, Nigam P. Rath and Mark Thornton-Pett, "B-frame-supported bimetallics. Isoelectronic *arachno*-structured  $[(\text{PMe}_2\text{Ph})_4\text{Pd}_2\text{B}_8\text{H}_{10}]$  and *closو*-structured  $[(\text{PMe}_3)_4(\text{CO})_2\text{Ir}_2\text{B}_8\text{H}_8]$ ", *Inorganica Chimica Acta*. **285**, 290 – 295 (1999).
80. Ramón Macías, Nigam P. Rath and Lawrence Barton. "Synthesis and characterization of a new dicage *ortho*-carborane with a supramolecular structure directed by intermolecular C-H<sub>carborane</sub>···O bonds". *Journal of Organometallic Chemistry*. **581**, 39 – 44, (1999).
81. J. Bould, W. Clegg, L. Barton, N. P. Rath, M. Thornton-Pett and J. D. Kennedy, "Macropolyhedral boron-containing cluster chemistry. Mixed and multiple cluster fusions involving iridaborane and platinaborane cluster compounds. An approach to *megalو*-borane behavior". *Inorganica Chimica Acta*. **289**, 95 - 124 (1999).
82. Rhodri Ll. Thomas and Lawrence Barton. "[2-{(p-cym)Ru}-3-{(Ph<sub>3</sub>P)<sub>2</sub>(CO)Os}B<sub>4</sub>H<sub>8</sub>]: The first *nido*-heterobimettalla hexaborane cluster". *Inorganica Chimica Acta*, **289**, 134-140 (1999).
83. Ramón Macías, Nigam P. Rath and Lawrence Barton, "Organometallic chemistry on a metallaborane cluster: Reactions of [8,8-(PPh<sub>3</sub>)<sub>2</sub>-*nido*-8,7-RhSB<sub>9</sub>H<sub>10</sub>] with bidentate phosphine ligands." *Organometallics*, **18**, 3637 – 3648 (1999).
84. Paul McQuade, Nigam P. Rath and Lawrence Barton, "[(p-cym)RuCl<sub>2</sub>PPh<sub>2</sub>CH<sub>2</sub>C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>Ph<sub>2</sub>P-BH<sub>3</sub>]: A New Bifunctional Compound and Prototype of a Linked Borane/Metal Cluster Species". *Inorganic Chemistry*. **38**, 5415-5424 (1999).
85. Paul McQuade, Kevin Hupp, Jonathan Bould, Hong Fang, Nigam P. Rath, Rhodri Ll. Thomas and Lawrence Barton. "Degradation and Modification of Metallaboranes: Reactions of the Hexaborane(10) Analogue *nido*-(PPh<sub>3</sub>)<sub>2</sub>(CO)OsB<sub>5</sub>H<sub>9</sub> with Phosphines and the Crystal and Molecular Structure of  $[(\text{PPh}_3)_2(\text{CO})\text{OsB}_5\text{H}_9(\text{PMePh}_2)]$ ". *Inorganic Chemistry*, **38**, 5468-5470 (1999).
86. L. Barton, "Reactions of Bidentate Phosphines with Metallaboranes: Possible Routes to Linked Cluster Systems". *Contemporary Boron Chemistry*. M. G. Davidson, A. K. Hughes, T. B. Marder and K. Wade (eds.), Ed.; Special Publication. Royal Society of Chemistry, **253**, 263 – 270 (2000).
87. Jonathan Bould, Daniel L. Ormsby, Hai-Jun Yao, Chun-Hua Hu, Jie Sun, Ruo-Shui Jin, Suzanne L. Shea, William Clegg, Tomáš Jelínek, Nigam P. Rath, Mark Thornton-Pett, Robert Greatrex, Pei-Ju Zheng, Lawrence Barton, Bohumil Štíbr and John D. Kennedy. "Macropolyhedral Boron-containing Cluster Chemistry. Further Progress Beyond the Icosahedron. July 1999",

Contemporary Boron Chemistry, M. G. Davidson, A. K. Hughes, T. B. Marder and K. Wade (eds.), Ed.; Special Publication. Royal Society of Chemistry, **253**, 171 – 174 (2000).

88. Udo Dörfler, Claudia Bauer, Detlef Gabel, Nigam P. Rath, Lawrence Barton and John D. Kennedy, "Synthesis of N-substituted Derivatives of the *hypho* (amino)(amido)B<sub>8</sub>H<sub>11</sub> System". Journal of Organometallic Chemistry, **614/615**, 215 - 222 (2000).
89. H. Fang, J. Bould, J. B. Wilking and L. Barton, "Synthesis and Characterization of  $\mu,\mu'$ -Cd(B<sub>5</sub>H<sub>8</sub>)<sub>2</sub>: A Reassignment of the NMR Spectra for 2,3- $\mu$ -Metalladerivatives of Pentaborane(9). Journal of Organometallic Chemistry, **614/615**, 223 - 230 (2000).
90. J. Bould, J. D. Kennedy, M. Thornton-Pett, L. Barton and N. P. Rath, "Two Iridanonaborane clusters [4,4,4,4-(CO)(PMe<sub>3</sub>)<sub>2</sub>H-*arachno*-4-IrB<sub>8</sub>H<sub>12</sub>] and [2,2,2-(CO)(PMe<sub>3</sub>)<sub>2</sub>-*nido*-2-IrB<sub>8</sub>H<sub>10</sub>Ir-4-Cl]", Acta Crystallographica, **C57**, 49 - 51 (2001).
91. J. Bould, J. D. Kennedy, R. Ll. Thomas, L. Barton and N. P. Rath, "The *nido*-osmaboranes [2,2,2-(CO)(PPh<sub>3</sub>)<sub>2</sub>-*nido*-2-OsB<sub>5</sub>H<sub>9</sub>] and [6,6,6-*nido*-6-OsB<sub>9</sub>H<sub>13</sub>]", Acta Crystallographica **C57**, 1245 - 1247 (2001)..
92. Mitsuhiro Hata, Nigam P. Rath and Lawrence Barton, "Isolation of a new nonaborane cluster form: *arachno*-B<sub>9</sub>H<sub>11</sub>·(PPh<sub>3</sub>)<sub>2</sub>." Inorganic Chemistry, **40**, 6852 – 6854 (2001).
93. Rhodri Ll. Thomas, Nigam P Rath and Lawrence Barton, "Formation of Metallaboranes from the Group IV Transition Metals and Pentaborane(9): Crystal and Molecular Structure of [(Cp<sub>2</sub>Zr)<sub>2</sub>B<sub>5</sub>H<sub>8</sub>][B<sub>11</sub>H<sub>14</sub>]]". Inorganic Chemistry, **41**, 67 – 75 (2002).
94. Oleg Volkov, Nigam P. Rath and Lawrence Barton, "Chemistry on a metallathiaborane cluster IV: Formation of [8,8- $\eta^2$ -{( $\mu$ -Cl)<sub>2</sub>Ru(*p*-cym)}Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>}-*nido*-8,7-RhSB<sub>9</sub>H<sub>10</sub>], a ruthenium complex of a rhodathiaborane containing a novel chelating ligand." Inorganic Chemistry Communications, **5**, 127 – 129 (2002).
95. Jonathan Bould,, Robert Greatrex, John. D. Kennedy, Daniel Ormsby, Michael Londesborough, Karen L. F. Callaghan Mark Thornton-Pett, Trevor R. Spalding, Simon. J. Teat, William Clegg, Hong Fang, Nigam P. Rath and Lawrence Barton, "Structural Chemistry of the *Arachno*-nonaboranes." Journal of the American Chemical Society. **124**, 7229 - 7439 (2002).
96. O. Volkov, N. P. Rath and L. Barton. "Chemistry on the Rhodacarborane Cluster, [9,9-(PPh<sub>3</sub>)-*nido*-9,7,8-RhC<sub>2</sub>B<sub>8</sub>H<sub>11</sub>]. Formation of bidentate phosphine and bimetallic derivatives." Collection of Czechoslovakian Chemical Communications, **67**, 769 – 782, (2002).
97. O. Volkov, R. Macias, N. P. Rath and Lawrence Barton, "Chemistry on a metallathiaborane cluster IV: Reactions of 11-vertex rhodathiaboranes with bidentate phosphines and their subsequent rearrangements." Journal of Organometallic Chemistry, **657**, 39-46, (2002).
98. O, Volkov, Ramon Macias, N. P. Rath and L. Barton " Phosphine-boranes as bidentate ligands: Formation of [9,9- $\eta^2$ -{ $\eta^2$ -(BH<sub>3</sub>)dppm}-*nido*-9,7,8-RhC<sub>2</sub>B<sub>8</sub>H<sub>11</sub>] and [8,8- $\eta^2$ -{ $\eta^2$ -(BH<sub>3</sub>)dppm}-*nido*-8,7-RhSB<sub>9</sub>H<sub>10</sub>] from [8,8-(PPh<sub>3</sub>)<sub>2</sub>-*nido*-8,7-RhSB<sub>9</sub>H<sub>10</sub> and [9,9-( $\eta^2$ -dppm)-9-( $\eta^1$ -dppm)-*nido*-9,7,8-RhC<sub>2</sub>B<sub>8</sub>H<sub>11"]. Inorganic Chemistry, **41**, 5837 – 43, (2002).</sub>
99. Oleg Volkov, Nigam P. Rath and Lawrence Barton Chemistry on a metallathiaborane cluster Part 5: Reaction of [8,8-( $\eta^2$ -dppm)-8-( $\eta^1$ -dppm)-*nido*-8,7-RhSB<sub>9</sub>H<sub>10</sub>] and its derivatives with organotransition-metal reagents." Organometallics, **21**, 5055 (2002).

100. Oleg Volkov, Ramón Macías, Nigam P. Rath and Lawrence Barton, "Organometallic Chemistry on Rhodaheteroborane Clusters: Reactions with bidentate phosphines and organotransition metal reagents." Applied Organometallic Chemistry, **17**, 409 – 420 (2003).
101. O. Volkov, N. P. Rath and L. Barton, "Metal insertion into the open face of an *isonido*-metallathiaborane cluster: Formation and characterization of [2-PPh<sub>3</sub>-2,3-Cl<sub>2</sub>-2,3-(μ-Cl)-3,7-(μ-dppm)-*clos*-2,3,1-Rh<sub>2</sub>SB<sub>9</sub>H<sub>8</sub>] from [1-PPh<sub>3</sub>-{1,3-(μ-dppm)}-*clos*-1,2-RhSB<sub>9</sub>H<sub>8</sub>]". Organometallics. **22**, 2548 – 50 (2003).
102. O. Volkov, N. P. Rath and L. Barton, "Derivatization of the Macropolyhedral Cluster [B<sub>22</sub>H<sub>22</sub>]<sub>2</sub><sup>2-</sup>: Isolation and Characterization of the 5'-OEt- and 4'-OH Derivatives". Journal of Organometallic Chemistry. **608**, 212 – 217 (2003).
103. Lawrence Barton, Oleg Volkov, Mitsuhiro Hata, Paul McQuade and Nigam P. Rath, "Reactions of boranes and metallaboranes with phosphines", Pure and Applied Chemistry, **75**, 1165 – 1173 (2003).
104. Lawrence Barton, Oleg Volkov, Mitsuhiro Hata, Paul McQuade and Nigam P. Rath, "Reactions of boranes and metallaboranes with phosphines", in: Boron chemistry at the beginning of the 21<sup>st</sup> century, Yu. Bubnov, Ed.; Nauka/Interperiodica, Moscow, 2003, pp 210 - 217.
105. P. McQuade, R. E. K. Winter and L. Barton. "Degradation and Modification of Metallaboranes Part 3, Reactions of the Hexaborane(10) Analogue *nido*-(PPh<sub>3</sub>)<sub>2</sub>(CO)OsB<sub>5</sub>H<sub>9</sub> with Bidentate Phosphines Containing a Rigid Backbone: Formation of Linked Cluster Systems." Journal of Organometallic Chemistry. **688**, 82-91 (2003).
106. Jonathan Bould, Anna Laromaine, Clara Viñas, Francesc Teixidor, Lawrence Barton, Nigam P. Rath, Rudolph E. K. Winter, Raikko Kivekäs, Reijo Sillanpää. "The First Derivatives of [NHMe<sub>3</sub>][μ-HMeC-C(Me)B<sub>10</sub>H<sub>10</sub>]." Organometallics **23**, 3335 – 3342 (2004).
107. A. Di Pasquale, X. Lei, T. P. Fehlner, M. Hata and l. Barton. "Diruthenapenta- and Diruthenahexaboranes" Inorganic Synthesis, **34**, 203-206 (2004).
108. Y-H Kim, J. D. Kennedy, L. Barton, and N. P. Rath, "Approaches to encapsulated boron cores. The isolation and characterisation of the partially encapsulated isocloso ten-vertex {RuB<sub>9</sub>}cluster compound [(PPh<sub>3</sub>)<sub>2</sub>RuB<sub>9</sub>H<sub>9</sub>]{RuCl<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>}<sub>2</sub>]". Inorganic Chemistry Communications. **8**, 147 – 150 (2005).
109. P. McQuade, R. E. K. Winter, N. P. Rath and L. Barton. "Degradation and Modification of Metallaboranes Part 4: Synthesis and Characterization of a series of hybrid bimettalborane clusters of the type [2,2,2-(PPh<sub>3</sub>)<sub>2</sub>(CO)-*nido*-2-OsB<sub>4</sub>H<sub>7</sub>-3-(BH<sub>2</sub>PPh<sub>2</sub>)C<sub>x</sub>H<sub>y</sub>PPh<sub>2</sub>RuCl<sub>2</sub>(*p*-cym)]". Inorganica Chimica Acta. **358/5**, 1545-1556 (2005).
110. O. Volkov, K. Radacki, R. Ll. Thomas, N. P. Rath and L. Barton "Another look at the *nido*-undecaborate system." Journal of Organometallic Chemistry. **690/11**, 2736-2744 (2005).
111. J. Bould, U. Dörfler, N. P. Rath, M. Thornton-Pett, L. Barton, W. Clegg, S. J. Teat, M. Thornton-Pett, D. L. Ormsby J. D. Kennedy, " Macropolyhedral boron-containing cluster chemistry. A synthetic approach via the auto-fusion of [6,9-(SMe<sub>2</sub>)<sub>2</sub>-*arachno*-B<sub>10</sub>H<sub>12</sub>]" Dalton Transactions 3752-3765 (2006).
112. Mitsuhiro Hata, Paul McQuade, Nigam P. Rath, Rudolph E. K. Winter and Lawrence Barton. "Formation and characterization of a series of bifunctional bidentate phosphines". In preparation.